



Delighting You Always

## SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS:

CANON SINGAPORE PTE. LTD.

1 HarbourFront Avenue #04-01 Keppel Bay Tower  
Singapore 098632  
Tel: 65-6799 8888 Fax: 65-6799 8882  
www.canon-asia.com

## CANON OFFICES

### INDIA:

Canon India Pvt. Ltd.  
Tel: 91-124-4160 000  
Fax: 91-124-4160 011  
www.canon.co.in

### MALAYSIA:

Canon Marketing (Malaysia) Sdn.  
Bhd.  
Tel: 603-7844 6000  
Fax: 603-7845 0505  
www.canon.com.my

### SINGAPORE:

Canon Singapore Pte. Ltd.  
Tel: 65-6799 8888  
Fax: 65-6798 8882  
www.canon.com.sg

### THAILAND:

Canon Marketing  
(Thailand) Co. Ltd.  
Tel: 66-2-3449 999  
Fax: 66-2-3449 922  
www.canon.co.th

### VIETNAM:

Canon Marketing Vietnam  
Co. Ltd.  
Ho Chi Minh City  
Office & Showroom  
Tel: 84-8-382 00466  
Fax: 84-8-382 00477  
www.canon.com.vn

## CANON BUSINESS PARTNERS

### BANGLADESH:

JAN Associates Ltd.  
Tel: 880-2-8624 102  
880-2-9660 601  
880-2-9660 359  
Fax: 880-2-8610 410

### BRUNEI:

Interhouse Company  
Tel: 673-2-653 001  
Fax: 673-2-653 003

### CAMBODIA:

i-Click (Cambodia)  
Pte. Ltd.  
Tel: 855-23-996 638  
Fax: 855-23-996 639

### INDONESIA:

PT Datascrip  
Canon Call Center  
Tel: 62-21-2922 6000  
Fax: 62-21-6544 811-13  
www.canon.co.id  
www.canon.co.id

### MALDIVES:

SIMDI  
Tel: 960-333 4421  
Fax: 960-333 4424

### MYANMAR:

Myanmar Golden Rock  
International Co. Ltd.  
Tel: 95-1-654 810 to 17  
Fax: 95-1-654 820

### NEPAL:

International Electronics  
Concern (P) Ltd.  
Tel: 977-1-4421 991  
Fax: 977-1-4421 909


### PAKISTAN:

Shirazi Trading Co. (Pvt.) Ltd  
Tel: 9221-3241 7659  
Fax: 9221-3241 7747

### SRI LANKA:

Metropolitan Computers  
(Pvt.) Ltd.  
Tel: 94-11-2437 797  
Fax: 94-11-2448 980

Dealer's Stamp:



www.canon-asia.com/MAXIFY

Because its products are subject to continuous improvement, CANON reserves the right to modify product design and specifications without notice and without incurring any obligations.

# MAXIFY

# Canon

Delighting You Always



# MULTIPLY

YOUR BUSINESS



MAXIFY INKJET PRINTERS  
FULL RANGE BROCHURE

1H 2015



MAXIFY iB4070









































MAXIFY MB5070



MAXIFY MB5370

# MAXIFY PRINTERS AT A GLANCE



		INKJET OFFICE MULTI-FUNCTION		INKJET OFFICE SINGLE-FUNCTION
		MAXIFY MB5370	MAXIFY MB5070	MAXIFY iB4070
MAX. PRINT SPEED (A4 DOCUMENT)	BLACK	<b>32.5ppm*1</b>	<b>32.5ppm*1</b>	<b>32.5ppm*1</b>
	COLOUR	<b>24.0ppm*1</b>	<b>24.0ppm*1</b>	<b>24.0ppm*1</b>
ISO STANDARD PRINT SPEED (A4 DOCUMENT)	BLACK	<b>23.0ipm</b>	<b>23.0ipm</b>	<b>23.0ipm</b>
	COLOUR	<b>15.0ipm</b>	<b>15.0ipm</b>	<b>15.0ipm</b>
FIRST PRINT OUT TIME (FPOT)		<b>approx. 7secs</b>	<b>approx. 7secs</b>	<b>approx. 7secs</b>
CARTRIDGE SYSTEM		 4 Single Inks	 4 Single Inks	 4 Single Inks
CARTRIDGE MODEL		 (optional)	 (optional)	 (optional)
PAGE YIELD		<ul style="list-style-type: none"> <li>● PGI-2700 Black: 1,000 pages</li> <li>● PGI-2700 C / M / Y: 700 pages</li> <li>(optional)</li> <li>● PGI-2700 Black (XL): 2,500 pages</li> <li>● PGI-2700 C / M / Y (XL): 1,500 pages</li> </ul>	<ul style="list-style-type: none"> <li>● PGI-2700 Black: 1,000 pages</li> <li>● PGI-2700 C / M / Y: 700 pages</li> <li>(optional)</li> <li>● PGI-2700 Black (XL): 2,500 pages</li> <li>● PGI-2700 C / M / Y (XL): 1,500 pages</li> </ul>	<ul style="list-style-type: none"> <li>● PGI-2700 Black: 1,000 pages</li> <li>● PGI-2700 C / M / Y: 700 pages</li> <li>(optional)</li> <li>● PGI-2700 Black (XL): 2,500 pages</li> <li>● PGI-2700 C / M / Y (XL): 1,500 pages</li> </ul>
PRODUCTIVITY FEATURES		    Auto 2-sided Print   Sheet Capacity	    Auto 2-sided Print   Sheet Capacity	    Auto 2-sided Print   Sheet Capacity
MAIN CONNECTIVITY		      	      	      
MONTHLY DUTY CYCLE		<b>Up to 30,000 pages</b>	<b>Up to 30,000 pages</b>	<b>Up to 30,000 pages</b>
RECOMMENDED MONTHLY PRINT VOLUME		<b>Up to 1,500 pages</b>	<b>Up to 1,500 pages</b>	<b>Up to 1,500 pages</b>
MOBILE PRINTING		    *2	    *2	    *2
CLOUD PRINTING / SCANNING		    *3    	    *3    	    *3 

\*1 PPM print speed is based on the highest speed settings using Canon standard patterns on A4 plain paper.

\*2 AirPrint and the AirPrint logo are trademarks of Apple Inc.

\*3 MAXIFY Cloud Link scan-related applications are applicable to users that use genuine Canon ink cartridges.

# MAXIMUM PERFORMANCE

» Multiply your business productivity and power your way through intensive office tasks with the new range of MAXIFY printers. With productivity-boosting features such as scan to network folder, single pass 2-sided scanning and laser-like print speeds, you can confidently create powerful impressions for your business that will leave your competition behind.

## DUAL RESISTANT HIGH DENSITY PIGMENT INK

Produce long-lasting prints with this new pigment ink that offers crisp and sharp text. Marker and water resistance makes it ideal for professional documents and presentations.



## HIGH SPEED, HIGH QUALITY

Professional marketing collaterals can now be printed at remarkably high speeds\*1.

### Max. Print Speed

32.5ppm\*2 (mono), 24.0ppm\*2 (colour)

### ISO Standard Print Speed

23.0ipm (mono), 15.0ipm (colour)

\*1 Print speed decreases when ink is running low (upon display of the low ink status).

\*2 PPM print speed is based on the highest speed settings using Canon standard patterns on A4 plain paper.

## AT LEAST 50% INK SAVINGS WITH XL INK CARTRIDGES

With the optional high-yield XL ink cartridges, you can print up to 2,500 pages in black-and-white and up to 1,500 pages in colour. You can enjoy at least 50% savings on cost-per-page (CPP) when using Canon genuine PGI-2700XL ink cartridges found in MAXIFY printers.\*3



\*3 Comparison between black ink cost of an XL ink tank for MAXIFY MB5370 / MB5070 vs PIXMA MX927.

## QUICK FIRST PRINT



With Quick First Print, you can minimise waiting time and get a printout in as fast as 7 seconds.

## HIGH SPEED SCANNING



Reduce total scan time with the fast single pass 2-sided ADF (Auto Document Feeder) that's capable of scanning double-sided documents in one paper pass.




Diagram shows placement of both Contact Image Sensors (CIS) for enhanced scanning speed.

## HIGH CAPACITY PAPER CASSETTES



Double your productivity with high capacity cassettes. The MAXIFY iB4070 and MB5370 provides up to a maximum of 500 sheets of paper input.




# MAXIMUM PRODUCTIVITY

## JOB RESERVATION

With this feature, you can easily line up a second task even when the printer is busy. Click on the "back" button to return to the main menu.


### How To Reserve Your Job:

**STEP 1**




During printing

**STEP 2**



Press the "back" button

**STEP 3**




Return to the Copy / Scan / Fax settings screen

## CUSTOM PROFILES

Save up to 20 frequently used job settings with the Custom Profiles function.

### How To Save Your Settings When:


**MAKING A COPY**



Save profile when copying

**OR**


**SENDING A FAX**



Save profile when faxing

**OR**


**CHOOSING SCAN SETTINGS**



Save profile when scanning


### Recalling Your Settings:

**STEP 1**



Click on "Custom Profiles" on home screen

**STEP 2**



Click desired settings

## SCAN / FAX TO NETWORK FOLDER



Place scanned images or incoming faxes into a shared network folder so that they can be accessed by others in the office.



## QUICK TOOLBOX

Remotely access and manage printer settings such as scan destination folders, cloud setup services, printer status and more, from one central location.

### Printer Information

(Printer remote user interface)

### Speed Dial Settings


(Fax)

### Destination Folder Settings

(For Scan / Fax Network Folder)

### Scan Driver

### Cloud Registration




## OPERATION RESTRICTIONS

To reduce costs and keep confidential documents safe, use Operation Restrictions to deactivate specific printer functions such as colour copying and scanning to a USB flash drive.




Select operations to restrict (eg. Copy)

### Before Copy Restriction




### After Copy Restriction



Copy function will be greyed-out


## SETTING RESTRICTIONS

Prevent changes to the printer's configuration or network settings by securing it with an administrative password.



## RECORDS OF USE

Manage printing costs by monitoring the number of printed pages, scans and faxes.




\*Features shown are available in certain models only. See specifications for more details.

# MAXIMUM CONNECTIVITY

## MAXIFY PRINTING SOLUTIONS



Print and scan wirelessly with the MAXIFY Printing Solutions app. With MAXIFY Cloud Link, you can print documents from online storage sites or save scans directly to the cloud.



Evernote



Dropbox

## MAXIFY CLOUD LINK\*1



MAXIFY Cloud Link

Print directly from popular cloud services like Evernote, Dropbox, OneDrive or Google Drive from the printer's LCD display, or from a smartphone using the MAXIFY Printing Solutions app. You can even scan documents to cloud storage or email.

\*1 Available to MB5370 and MB5070, MAXIFY Cloud Link scan-related applications are applicable to users that use genuine Canon ink cartridges.

## • SCAN TO CLOUD



Scan to Cloud

Scan and upload your documents directly to Evernote, Dropbox, OneDrive and Google Drive with the MAXIFY Cloud Link.

## • SCAN TO EMAIL / ATTACH TO WEBMAIL

Send scanned documents to your contacts instantly via the Scan To Email function. You can also save scans as an attachment in an email draft to change the subject header before sending it out to your recipients.

## PRINT FROM EMAIL



Print From Email

Email JPEG, PDF and Microsoft Office attachments directly to your MAXIFY's email address to print. You can even share email access to your printer with up to 500 individuals.





Google Drive



OneDrive



All-round Connectivity



## ACCESS POINT MODE



Even without a wireless router, you can connect and print directly to your printer.

## AIRPRINT™\*2



Print directly from iOS devices without the need to download any third party print applications.

\*2 AirPrint and the AirPrint logo are trademarks of Apple Inc.

## GOOGLE CLOUD PRINT™



Now, you can send prints to your printer no matter where you are. Simply access Google Cloud Print™ via your smart device or laptop and print from Gmail or Google Drive.

## WIRELESS CONNECTIVITY



Wi-Fi and Ethernet connectivity makes it easy to share your printer with multiple users.




# MAXIMUM QUALITY

## 3.0-INCH COLOUR TOUCH-SCREEN



Touch-screen control makes it easy to navigate menus, printer settings and access cloud services from the screen.



## EASY REPLACEMENT OF INK CARTRIDGES

Only cartridges that need to be replaced are moved into a cartridge replacement position. This eliminates the possibility of replacing the wrong ink cartridge.

## RETRACTABLE TRAY DESIGN

Designed for a smaller footprint, MAXIFY paper cassettes can be retracted when the printer is not in use.



# SAVE MONEY SAVE THE PLANET



## ENERGY SAVING, LOW ENVIRONMENTAL LOAD

This unique energy-saving design not only lowers power consumption but also complies with various environmental labels. MAXIFY also reduces paper wastage significantly with the auto 2-sided print engine.

## SCHEDULE ON / OFF

Lower power consumption by programming your printer to switch on and off automatically.\*1

\*1 Schedule must be set from the printer's user interface; faxes cannot be received when the device is turned off.

# MAXIFY MB5370

## MAXIMUM QUALITY MAXIMUM SPEED


- 3.0" Touch-Screen LCD Display
- Quick First Print in 7 secs
- Water Resistant Pigment Ink
- Up to 500 sheets high-capacity twin paper cassettes
- Schedule ON / OFF for smart power management
- Connectivity: MAXIFY Printing Solutions, MAXIFY Cloud Link\*<sup>1</sup>, Print from Email, AirPrint™, Google Cloud Print™, Scan to Cloud, Scan / Fax to Network Folder




### MAX. PRINT SPEED\*<sup>2</sup>

### ISO STANDARD SPEED

Measured by ISO/IEC 24734, 29183, 24735 standards



(optional)




\*1 MAXIFY Cloud Link scan-related applications are applicable to users that use genuine Canon ink cartridges.  
\*2 PPM print speed is based on the highest speed settings using Canon standard patterns on A4 plain paper.

# MAXIFY MB5070

## MAXIMISE YOUR PRODUCTIVITY



- 3.0" Touch-Screen LCD Display
- Quick First Print in 7 secs
- Water Resistant Pigment Ink
- Up to 250 sheets high-capacity cassette
- Schedule ON / OFF for smart power management
- Connectivity: MAXIFY Printing Solutions, MAXIFY Cloud Link\*1, Print from Email, AirPrint™, Google Cloud Print™, Scan to Cloud, Scan / Fax to Network Folder



### MAX. PRINT SPEED\*\*

### ISO STANDARD SPEED


Measured by ISO/IEC 24734, 29183, 24735 standards



# MAXIFY iB4070

## MAXIMISE YOUR BUDGET



- Quick First Print in 7 secs
- Water Resistant Pigment Ink
- Up to 500 sheets high-capacity twin paper cassettes
- Auto Power ON / OFF
- Connectivity: MAXIFY Printing Solutions, MAXIFY Cloud Link, Print from Email, AirPrint™, Google Cloud Print™



### MAX. PRINT SPEED\*\*

### ISO STANDARD SPEED

Measured by ISO/IEC 24734 standard



\*1 MAXIFY Cloud Link scan-related applications are applicable to users that use genuine Canon ink cartridges.  
\*2 PPM print speed is based on the highest speed settings using Canon standard patterns on A4 plain paper.

# SPECIFICATIONS



MAXIFY MB5370



MAXIFY MB5070



MAXIFY iB4070

PRINT			INKJET OFFICE MULTI-FUNCTION		INKJET OFFICE SINGLE-FUNCTION
Maximum Printing Resolution*1			600 x 1200dpi		
Number of Ink Cartridges			4		
Print Speed	Document: B & W / Colour (Max.)		approx. 32.5ppm <sup>2</sup> / 24.0ppm <sup>2</sup>		
	Document: B & W / Colour	ESAT / Simplex	approx. 23.0ipm <sup>3</sup> / 15.0ipm <sup>3</sup>		
	Document: Colour	FPOT Ready / Simplex	approx. 9sec.		
	Document: B & W	FPOT Ready / Simplex	approx. 7sec.		
Printing Capability	Auto Duplex Printing		Yes (A4 / Letter)		
Standard Paper Input (Front Cassette 1)	Plain Paper (Sheets)		A4 / A5 / B5 / Letter / Legal = 250		
Additional Paper Input (Front Cassette 2)	Plain Paper (Sheets)		A4 / Letter / Legal = 250	NA	A4 / Letter / Legal = 250
Paper Output Tray	Plain Paper		approx. 75 pages (A4 / Letter)		
	Plain Paper		A4 / A5 / B5 / Letter / Legal = 250		
	High Resolution Paper (HR-101N)		A4 = 65		
	Photo Paper Plus Glossy II (PP-201)		4x6"=20, A4=10		
	Photo Paper Pro Luster (LU-101)		A4 = 10		
	Photo Paper Plus Semi-Glossy (SG-201)		4x6"=20, A4=10		
	Glossy Photo Paper "Everyday Use" (GP-508)		4x6"=20, A4=10		
	Glossy Photo Paper "Everyday Use" (GP-601)		4x6"=20, A4=10		
Paper Handling (Upper Cassette) (Maximum Number)	Matte Photo Paper (MP-101)		4x6"=20, A4=10		
	Envelope		European DL / US Com. #10=10		
Paper Handling (Lower Cassette) (Maximum Number)	Plain Paper	A4, Letter, Legal = 250	NA	A4, Letter, Legal = 250	
	Cassette 1 (Upper)	Plain Paper: 64-105g/m <sup>2</sup> , Photo Paper Plus Glossy II PP-201: approx. 275g/m <sup>2</sup>			
Paper Weight	Cassette 2 (Lower)	Plain Paper: 64-105g/m <sup>2</sup>	NA	Plain Paper: 64-105g/m <sup>2</sup>	
SCAN*					
Scanner Type / Scanning Method			Flatbed & ADF / CIS (2-sided) (Contact Image Sensor)	Flatbed & ADF / CIS (Contact Image Sensor)	NA
Duplex Scanning			Available (Single pass 2-sided scan)		NA
Optical Resolution*5			1200 x 1200dpi		NA
Scanning Speed*6	Document ADF: Colour*7	Simplex	approx. 10.0ipm		NA
	Document ADF: B & W*7	Simplex	approx. 18.0ipm		NA
	Document ADF: Colour*7	Duplex	approx. 21.0ipm		NA
	Document ADF: B & W*7	Duplex	approx. 31.0ipm		NA
Scan File Formats			JPEG, PDF, PDF (Multi-pages), Compact PDF		NA
COPY					
Maximum Document Size	Flatbed	A4 / Letter (216 x 297mm) (ADF; A4, Letter, Legal)			NA
	ADF	A4, Letter, Legal			NA
Auto Document Feeder (ADF)	Paper Handling (Plain Paper)	Yes (50 sheets)			NA
	Auto Duplex	Available (Single pass 2-sided scan)			NA
Copy Speed*7	Document: Colour	sFCOT / Simplex	approx. 12sec.		NA
	Document (ADF): Colour	ESAT / Simplex	approx. 10.0ipm		NA
	Document (ADF): B & W	ESAT / Simplex	approx. 21.0ipm		NA
Multiple Copy	Black / Colour	Max. 99 pages			NA
FAX					
Transmission Speed*8	Black / Colour	approx. 3sec. / 1min (33.6kbps)			NA
Transmission / Reception Memory*7			approx. 250 pages		NA
PC Fax			Windows: via Fax Modem (MFP)		NA
Automatic Coded Speed Dialing			Max. 100 locations		NA
Automatic Group Dialing			Max. 99 locations		NA
NETWORK / SYSTEM REQUIREMENTS & GENERAL SPECIFICATIONS					
Windows	Compatible Operating Systems (Please visit <a href="http://www.canon-asia.com">www.canon-asia.com</a> to confirm OS compatibility and to download the latest driver updates)		Windows 8 / Windows 7 / Windows Vista / Windows XP		
Macintosh			Mac OS X v10.6.8 and later		
Printer Management			Quick Toolbox		
Software Included			Easy-WebPrint EX, MyPrinter, Extended Survey Program, Tutorial Manual, On-screen Manual, Speed Dial Utility, OCR Dictionary		Easy-WebPrint EX, MyPrinter, Extended Survey Program, Tutorial Manual, On-screen Manual
Security Management			Setting Restrictions, Operation Restrictions		Setting Restrictions
Operation Panel	Display	3.0" Touch-screen LCD			Full Dot LCD
Auto Document Feeder (ADF)	Paper Handling (Plain Paper)	A4, Letter=50, Legal = 70			NA
	Auto 2-sided	Single Pass 2-Sided Scan			NA
Mobile Printing			MAXIFY Printing Solutions		
Other Wireless Connectivity Features			AirPrint™, Google Cloud Print™, MAXIFY Cloud Link, Print from Email, Access Point Mode, Easy-PhotoPrint+		
Productivity Solutions			Job Reservation, Custom Profiles, Scan to Network Folder, Scan to E-mail, Fax to Network Folder, Schedule ON / OFF (Power control), Quick Toolbox		Auto Power ON / OFF (Power control), Quick Toolbox
Monthly Duty Cycle*10			Up to 30,000 pages		
Recommended Monthly Print Volume			Up to 1,500 pages		
Acoustic Noise (when printing from PC)	Document (A4, B & W)*11		approx. 54dB(A)		approx. 53dB(A)
			approx. 31W (1.0W Standby)	approx. 29W (1.0W Standby)	approx. 24W (1.0W Standby) Wireless connection to PC
Typical Electricity Consumption (TEC)*12			approx. 0.3kWh / week		
Dimensions (W x D x H)	Factory Configuration		approx. 463 x 394 x 351mm	approx. 463 x 394 x 291mm	approx. 463 x 394 x 290mm
	Maximum (Input / Output / ADF trays extended)		approx. 463 x 607 x 389mm	approx. 463 x 607 x 329mm	approx. 463 x 607 x 290mm
Weight			approx. 13.1kg	approx. 11.4kg	approx. 9.8 kg
Environment	ECO-label		Energy Star, EPEAT (Silver)		
PAGE YIELD					
Plain Paper A4 (ISO/IEC 24712 test file)*13 (Pages)			PGI-2700 BK: 1000 PGI-2700 C : 700 PGI-2700 M: 700 PGI-2700 Y : 700		Optional: PGI-2700 BK XL: 2500 PGI-2700 C XL: 1500 PGI-2700 M XL: 1500 PGI-2700 Y XL: 1500

**Specifications are subject to change without notice.**

- \*1 Ink droplets can be placed with a pitch of 1/6000 inch at minimum.
- \*2 PPM print speed is based on the highest speed mode setting using Canon standard patterns on A4 plain paper.
- \*3 Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734. Document print speeds are the averages of FPOT in Office Category Test for the default simplex mode, ISO / IEC17629/2014. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- \*4 TWAIN driver (ScanGear) is based on the TWAIN specifications V1-9 and requires the Data Source Manager that comes with the operating system.
- \*5 Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard. Increasing the scanning resolution will limit the maximum possible scanning area.
- \*6 ADF continuous PC scan speed is determined from the time spent for scanning of multiple sets of the test pages that take more than 30 seconds after first set of scanning. The test charts (consist of 4 pages) are printed by the device for testing and used for measuring ISO/IEC24735. Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size and use frequency etc.
- \*7 To prevent overheating of the Auto Document Feeder due to high volume copy or scan tasks, the printer will occasionally stop for a number of seconds after every scan. The length of the waiting period varies according to scan settings. Under the printer's default settings (300dpi, colour), the printer will automatically enter the "waiting mode" once approximately 80 sheets of paper have been loaded continuously into the ADF over a short period of time.  
Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. ADF copy speed is the average of ESAT in General Performance Test for the default simplex mode, ISO/IEC 24735, excluding time to copy the first set. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warm-up time.
- \*8 Black & white document fax transmission speed is based on default setting using ITU-T No.1 chart. Colour document fax transmission speed is based on default setting using Canon Colour Fax Test Sheet. Actual transmission speed may vary depending on document complexity, fax settings at receiving end, and line conditions etc.
- \*9 Page count is based on ITU-T No.1 chart or Canon FAX Standard Chart No.1.
- \*10 The Monthly Duty Cycle value provides a basis for comparison of product robustness in relation to other Canon inkjet devices, and does not refer to the actual maximum image output per month.
- \*11 Acoustic Noise is measured based on ISO7779 standard.
- \*12 Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational, sleep and power-off modes for 5 days, and that it will be either in sleep or power-off mode for the remaining 2 days within the same week. TEC value is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program.
- \*13 Declared yield value in accordance with ISO / IEC 24711 (for A4 size) using ISO / IEC 24712 test file. Values obtained by continuous printing.  
Note: All printers work in Operating Environment of Temperature: 5 - 35°C;  
Humidity: 10 - 90 % RH (no dew condensation)  
Note: All printers work in Storage Environment of Temperature: 0 - 40°C;  
Humidity: 5 - 95% RH (no dew condensation)